

INVITATION TO TENDER
Occupied PALESTINIAN Territory
August 14th, 2025
ITT-OPT-CO-2025-005-Wash Tender
for Gaza Response

SUBMISSION DEADLINE: <<04/09/2025 not later than 4:00 pm>>

QUESTIONS / CLARIFICATIONS: << opt.coprocurement@savethechildren.org>>

FORMAT FOR SUBMISSION: [BIDDER RESPONSE DOCUMENT](#)

PART 1: INVITATION TO TENDER

- Introduction to SCI
- Project Overview and Requirements
 - Award Criteria
- Instructions & Key Information

PART 2 : CORE REQUIREMENTS AND SPECIFICATION

Detailed description of SCI's specific requirements (e.g., volumes, delivery dates / locations, product specifications etc).

PART 3 : BIDDER RESPONSE DOCUMENT

Template to be used to submit response to this Invitation to Tender.

PART 1 – INVITATION TO TENDER

1. INTRODUCTION TO SAVE THE CHILDREN

SCI is the world's leading independent organisation for children. We save children's lives; we fight for their rights; we help them fulfil their potential. We work together, with our partners, to inspire breakthroughs in the way the world treats children and to achieve immediate and lasting change in their lives.

Our Vision – a world in which every child attains the right to survival, protection, development and participation.

Our Mission – to inspire breakthroughs in the way the world treats children and to achieve immediate and lasting change in their lives.

We do this through a range of initiatives and programmes, to:

- Provide lifesaving supplies & emotional support for children caught up in disasters (e.g. floods, famine & wars).
- Campaign for long term change to improve children's lives.
- Improve children's access to the food and healthcare they need to survive.
- Secure a good quality education for the children who need it most.
- Protect the world's most vulnerable children, including those separated from their families because of war, natural disasters, extreme poverty or exploitation.
- Work with families to help them out of the poverty cycle so they can feed and support their children.

For more information on the work we undertake and recent achievements, visit our [website](#).

2. PROJECT OVERVIEW

Item	Description
Description of Goods / Services	WASH Tender for Gaza Response
Outcome of Tender	<i>Framework Agreement (Non-Fixed Price) – the successful supplier(s) will be awarded a 'Framework Agreement'. Within the Framework Agreement the terms of goods (WASH) with a spend cap up to 3,500,000 ILS shall be agreed, as well the conditions of supply (e.g., specifications, lead times etc.). The Framework Agreement does not commit SCI to any purchases or specific volumes. Any future purchases which will be completed under separate Purchase Orders which will be governed and linked to the original Framework Agreement.</i>
Duration of Award	<i>3-year FWA with the winning bidder/s</i>

Further detail on the specific requirements of the project (e.g., volumes, dates, specifications etc.) can be found in [Part 2 \(Core Requirements & Specifications\)](#) of this Tender Pack.

3. AWARD CRITERIA

SCI is committed to running a fair and transparent tender process and ensuring that all bidders are treated and assessed equally during this tender process. Bidder responses will be evaluated against four weighted categories of criteria: Essential Criteria, Sustainability Criteria, Capability Criteria, and Commercial Criteria.

3.1 ESSENTIAL CRITERIA

Criteria which bidders **must** meet in order to progress to the next round of evaluation. If a bidder does not meet any of the Essential Criteria, they will be excluded from the tender process immediately. These criteria are scored as 'Pass' / 'Fail'.

3.2 SUSTAINABILITY CRITERIA (10%)

Criteria used to evaluate the impact a supplier has on the environment, local economy and community. Bids will be evaluated against the same pre-agreed Criteria.

3.3 CAPABILITY CRITERIA (60%)

Criteria used to evaluate the bidder's ability, skill and experience in relation to the requirements. Bids will be evaluated against the same pre-agreed Criteria.

3.4 COMMERCIAL CRITERIA (30%)

Criteria used to evaluate the commercial competitiveness of a bid. Bids will be evaluated against the same pre-agreed Criteria.

4. VETTING

Successful bidders must be successfully vetted. This involves checking bidders and key personnel against Global Watch Lists, Enhanced Due Diligence Lists and Politically Exposed Persons Lists.

The vetting of bidders will be completed after the award decision and prior to any contract being signed, or orders placed. If any information provided by the Bidder throughout the tender process is proved to be incorrect during the vetting process (or at any other point), SCI may withdraw their award decision.

5. BIDDER INSTRUCTIONS

6.1 TIMESCALES

Activity	Date
Issue Invitation to Tender	Aug 14 th , 2025
Deadline for inquiries from bidders	Aug 21 st , 2025
Deadline for Bid Submission	Sep 04 th , 2025
Award Contact	Oct 10 th , 2025

The above dates are for indicative purposes only and are subject to change.

6.2 SUBMISSION FORMAT & BIDDER RESPONSE DOCUMENT

Bidders wishing to submit a bid **must use the Bidder Response Document template in [Part 3](#) of this Tender Pack**. Any bids received using different formats, or incomplete bids, will not be accepted.

This document allows bidders to submit all the required information and be evaluated fairly and equally against the Essential, Capability and Commercial Criteria. Bidders may also be required to submit supporting documentation. Further instructions can be found within the document in Part 3 of this pack.

Bids can be submitted by either:

Electronic Submission via ProSave

- Submit your response in accordance with the guidance provided in the below document:



Bidding on a
Sourcing Event v2_fr

Electronic Submission via Email:

- Submit your response and all the related documents to the following email:
oPt.Tender@savethechildren.org

Paper Submission

- Two paper copies submitted on headed paper to << Save the children office behind PECDAR, Yasmine St. Rishmawi Building 2nd floor>>.
- Bids should be submitted in a single sealed envelope addressed to <<Michael Rantisi>>.
- The envelope should clearly indicate the Invitation to tender reference number (ITT-OPT-CO-2025-005-Wash Tender for Gaza Response) but contain no other details relating to the bid or the bidder's name.
- All supporting documentation should be labelled and grouped together (individual envelopes, stapled etc), and then included in a single sealed envelope as per the above.

6.4 CLOSING DATE FOR BID SUBMISSION

Your bid must be received, no later than **4:00 pm Sep 04th, 2025**.

Bids must remain valid and open for consideration for a period of no less than 60 days.

6.5 KEY CONTACTS





All questions relating to the tender should be sent via email to:

Name	Email Address
<<Supply chain unit>>	<<oPt.COprocurement@savethechildren.org>>


Please be advised local working hours are from 8:00 – 4:00 pm. Please allow up to 2 -3 days for a response.





Where the enquiry may have an impact on other bidders within the process, Save the Children will notify all other Bidders to maintain a fair and transparent process.



PART 2 – CORE REQUIREMENTS & SPECIFICATIONS





#	Item Specification	Unit	Quantity	Pictures																																				
1	<p>Small Water pumps (Head up to 20m) with solar panel</p> <ul style="list-style-type: none">Solar-powered pump kit with approx. 3M³/day yield at 10–30m head.Includes 0.5" diameter hose 20m length.Solar PV array.	each	1000	<div></div> <p>12V Submersible Purger Range TECHNICAL SPECIFICATIONS</p> <div></div> <table><tr><th></th><th>Mini-Purger</th><th>Super-Purger</th><th>Mega-Purger</th></tr><tr><td>Max. Pumping Depth</td><td>12m</td><td>18m</td><td>27m</td></tr><tr><td>Diameter</td><td>36mm</td><td>43mm</td><td>43mm</td></tr><tr><td>Length</td><td>128mm</td><td>260mm</td><td>392mm</td></tr><tr><td>Port Size</td><td>11/16mm</td><td>11/16mm</td><td>11/16mm</td></tr><tr><td>Max. Power Consumption</td><td>52.5W</td><td>96W</td><td>120W</td></tr><tr><td>Voltage Range</td><td>10V – 15V</td><td>10V – 15V</td><td>10V – 15V</td></tr><tr><td>Max. Current Draw</td><td>3.5 A</td><td>6.4 A</td><td>8.0 A</td></tr><tr><td>Cable Specification</td><td>Cable of 19m long fitted with crocodile clips</td><td>Cable of 18m long fitted with crocodile clips</td><td>Cable of 29m long fitted with crocodile clips</td></tr></table>		Mini-Purger	Super-Purger	Mega-Purger	Max. Pumping Depth	12m	18m	27m	Diameter	36mm	43mm	43mm	Length	128mm	260mm	392mm	Port Size	11/16mm	11/16mm	11/16mm	Max. Power Consumption	52.5W	96W	120W	Voltage Range	10V – 15V	10V – 15V	10V – 15V	Max. Current Draw	3.5 A	6.4 A	8.0 A	Cable Specification	Cable of 19m long fitted with crocodile clips	Cable of 18m long fitted with crocodile clips	Cable of 29m long fitted with crocodile clips
	Mini-Purger	Super-Purger	Mega-Purger																																					
Max. Pumping Depth	12m	18m	27m																																					
Diameter	36mm	43mm	43mm																																					
Length	128mm	260mm	392mm																																					
Port Size	11/16mm	11/16mm	11/16mm																																					
Max. Power Consumption	52.5W	96W	120W																																					
Voltage Range	10V – 15V	10V – 15V	10V – 15V																																					
Max. Current Draw	3.5 A	6.4 A	8.0 A																																					
Cable Specification	Cable of 19m long fitted with crocodile clips	Cable of 18m long fitted with crocodile clips	Cable of 29m long fitted with crocodile clips																																					
2	<p>White Water Tanks (0.2m³, 0.5m³, 1m³, 2m³, 5m³)</p> <ul style="list-style-type: none">Food-grade new PVC/HDPE/PE.Comes with lid, inlet/outlet openings, and bottom drain.UV-resistant, durable for potable water use.	each	200 for each size																																					
3	<p>Water Bladders (1m³, 2m³, 5m³, 10m³)</p> <ul style="list-style-type: none">UV-resistant, food-grade PVC-coated polyester (min. 1100g/m²).Heat-welded seams, 2" BSP(M) outlet with anti-chafe patch, 4" inlet with screw cap.Suitable for chlorinated drinking water.	each	100 for each size																																					


4	<p>Piping Networks (HDPE, UPVC, PPR) diameter from 0.5 inch to 4 inch</p> <ul style="list-style-type: none"> • High-durability piping systems suitable for potable water networks. • Pressure rated and corrosion resistant. 	Meter	1000 mr for each	
5	<p>Pipe Fittings (Elbows, Tees, Reducers, Unions)</p> <ul style="list-style-type: none"> • Assorted high-strength fittings compatible with HDPE, UPVC, PPR pipes. • Pressure-rated for potable water. 	Set	1000	
6	<p>Valves (Tap Stands, Gate, Check, Pressure-Reducing)</p> <ul style="list-style-type: none"> • Corrosion-resistant valves for water flow regulation. • Suitable for various pipe systems. 	Each	500	

7	<p>Portable Handwashing Facilities</p> <ul style="list-style-type: none"> • Market-ready units with min. 20L tank with lid. • Tap and stand included; optional sink and drain. • Hygienic and sturdy construction. 	Each	300	
8	<p>Water Quality Testing Kits</p> <ul style="list-style-type: none"> • Tests for TDS, Free Residual Chlorine (FRC), Turbidity, and pH. • Includes electrochemical testers suitable for field use. 	Kit	10	 

10	<p>Foldable Sink kit</p> <ul style="list-style-type: none"> Made of stainless steel, PVC, or similar material. Portable, easy to set up and clean. 	Each	1000	
11	<p>Portable Small Solar Water Heater</p> <ul style="list-style-type: none"> Compact, solar-powered heater. Ideal for hygiene and personal use. 	Each	1000	
13	<p>Self-Built Latrine Kit</p> <p>Kit for on site assembling provided with: a plastic self supporting plastic slab:</p> <ul style="list-style-type: none"> Made of linear low density polyethylene (LLDPE - UV protected) or material with similar characteristics, squatting slabs, neutral colour 1.2 m long x 0.8 m wide x 35 mm thick HDPE (UV protected) hinged hole cover five M6 x 15mm brass moulded inserts on the underside of the slab – for bolting on a pan and trap <p>a plastic self-supporting superstructure:</p> <ul style="list-style-type: none"> Dimensions: Height 210 cm, Depth 120 cm, Width 80 cm Panelling made of 4mm corrugated plastic, UV stabilised or material with similar characteristics, Pressure treated timber frame (protected against rot and insects) Slanted roof for rain run off <ul style="list-style-type: none"> Ventilation gap Internal and lock 	Set	1000	 

16	<p>Communal waste containers (120L, 240L, 1100L)</p> <ul style="list-style-type: none"> Heavy-duty, food-grade plastic or galvanized steel. With lid, wheels for transport, and foot pedal (optional). 	Each	300	
19	<p>Antiscalant Material (ACUMER 5000, Hypersperse, etc.)</p> <ul style="list-style-type: none"> Supplied in 5–25L drums. Compatible with RO systems for scale inhibition. 	Liter	100	
20	<p>Chlorine – Sodium Hypochlorite (NaOCl)</p> <ul style="list-style-type: none"> 12–13% active chlorine. AWWA B300, NSF/ANSI 60, WHO standards. Appearance: Clear/pale yellow. pH: 11–13; Specific Gravity: 1.18–1.22; <1% Free Alkali; <10ppm Fe. 	Liter	1000	
21	<p>NaDCC 33 Water Purification Tablets</p> <ul style="list-style-type: none"> Water purification tablets. Rapidly dissolving. 	Tablet	100,000	
22	<p>Tap stand kit: metal 4 taps distribution system (GS) - Height of the tap stand 890mm</p> <ul style="list-style-type: none"> All threads BSP Tapered Components are hot dipped galvanized internally and externally All threading carried out after the galvanization process, using potable grade cutting oil. All parts supplied ready for immediate use, with all debris from the machining process removed from the water ways before pack Including components to connect to 32mm and 50mm PE pipe using compression couplings, or to 2" 	Kit	100	

	flexible or layflat hose using threaded or Guillemin couplings.			
23	<p>Solar Shower (10L / 20L)</p> <ul style="list-style-type: none"> Leakproof black TPU, PVC, or polyurethane fabric. Built-in handle/hanger, outlet hose with on/off head. 	Unit	1000	 
24	<p>Drum incinerator bin:</p> <p>prepared with a second hand oil metal barrel (galvanized iron sheet at least 1.5m thick), provided with waste inlet and ash inspection opening, with a ash 10x10 mm metal grill installed. All painted with heat resistant paint. Provided with a 3" (10 cm) diam ventilation pipe.</p>			 <p>Mobile Incinerator WASH Department</p>
25	<p>Vector Control – Mosquito Nets (LLINs)</p> <ul style="list-style-type: none"> WHO/USAID certified LLINs. Pyrethroid-chlorfenapyr treated. 3–5 year treatment duration. Size: 190x180x150 cm. 	each	1000	

26	<p>Solar cooker kit:</p> <ul style="list-style-type: none"> • Foldable, stand-alone solar cooker. • Reflective screen with plastic cover or cooking bags. • Includes 3L black cooking pot with lid. 	Each	1000	
----	--	------	------	--

PART 3 – BIDDER RESPONSE DOCUMENT

1. INTRODUCTION

This document **MUST BE USED** by Bidders wishing to submit a bid. It is linked into 5 sections detailed below:

- [Section 1 – Essential Criteria](#)
- [Section 2 – Capability & Sustainability Questions](#)
- [Section 3 – Commercial Questions](#)
- [Section 4 – Bidder Submission Checklist](#)

The Bidder is required to sign a copy of the Check list in Section 4 as part of their submission.

2. INSTRUCTIONS

Within each section there are instructions providing guidance to the bidder on what information is required. This guidance details the **MINIMUM** requirements expected by SCI. If a Bidder wishes to add further information, this is acceptable, but the additional information should be limited to only items that are relevant to the tender.

- For the avoidance of doubt, bidders are required to complete all items within the Bidder Response Document unless clear instruction is provided otherwise.
- If a Bidder does not complete the entire Bidder Response document, their submission may be declared void.
- If a Bidder is unable to complete any element of the Bidder Response Document, they should contact Save the Children through the using the contact details provided for guidance.

By submitting a response, the bidder confirms that all information provided can be relied upon for validity and accuracy.

SECTION 1 - ESSENTIAL CRITERIA

INSTRUCTIONS – Bidders are required to complete all sections of the below table.

Item	Question	Bidder Response	
		Yes / No	Comments / Attachments
1	Bidder accepts Save the Children's 'Terms and Conditions of Purchase' and that any business awarded to the bidder will be completed under the Terms and Conditions included in Section 5 of this pack.		
2	The Bidder and its staff (and any sub-contractors used) agree to comply with: i) SCI's Supplier Sustainability Policy [set out under Section 4 of this document] throughout this process and during the term of any future contract awarded.	Yes / No	Comments
3	The bidder confirms they are not a prohibited party under applicable sanctions laws or anti-terrorism laws or provide goods under sanction by the United States of America or the European Union and accepts that SCI will undertake independent checks to validate this.	Yes / No	Comments
4	<p>The Bidder confirms it is fully qualified, licenses and registered to trade with Save the Children (including compliance with all relevant local Country legislation).</p> <p>This includes the Bidder submitting the following requirements (where applicable):</p> <ul style="list-style-type: none"> - Legitimate business address - Tax registration number & certificate. - Business registration certificate - Trading license 	Yes / No	Comments
		Requirement	Bidder Response / Attachments
		Legitimate Business Address	
		Tax Registration Number & Certificate	
		Business Registration Certificate	
		Trading License	
5	<p>Save the children shall receive samples for all items mentioned in the ITT.</p> <p>Please note that the supplier may provide one sample for similar items in the kits (if any)</p> <p>Suppliers can provide multiple samples as options, and SCI can choose from the items the best quality. Also, catalogues are acceptable</p>	Provided (Yes / No)	

SECTION 2 – CAPABILITY & SUSTAINABILITY QUESTIONS

Instructions – Bidders are required to complete all sections of the below table.

Item	Question	Bidder Response		
1	REFERENCES Bidder shares two (2) examples of their experience in providing services similar to those included within the scope of this tender. Examples provided must be for similar projects within a similar environment / context to that in which Save the Children operates, and within the last two (2) years. <i>(Note – the Bidder must ensure that for any client references shared, the nominated client is happy to be contacted / visit by Save the Children)</i>	Client Name	Contact Details (Name & Email)	Project Description
		1)		
		2)		
2	Bidder has demonstrated previous experience in offering and implementing innovative solutions which delivered new value to clients. Bidder to attach/provide evidence or reference to validate this capability and experience.	Bidder Response		Attachment(s)
3	Score: 10% out of 10% Quality of the bidder's samples as per the specs mentioned in the ITT. Bidders submitted all items with high quality items for the requested Food Parcels kits. each item will be taking mark from 30% and the overall mark will be out of 30%: <ul style="list-style-type: none"> • 7% for quality of samples: <ul style="list-style-type: none"> - 7% for best quality samples. - 4% for medium quality samples. - 0% for low quality samples. - 3% for submission of samples: <ul style="list-style-type: none"> - 3% for providing samples for all the requested items. - 2% for providing 70-80% of the samples for all the requested items. - 1% for providing 50% of the samples for all the requested items. - 0% for providing less than 50% of the samples for all the requested items. 	Bidder Response		Attachment(s)
4		Bidder Response		Comments



	<p>Score: 10% out of 10%</p> <p>Provide transportation to the needed in different WB locations (North/South/Centre) and Gaza strip including description for any additional fees for delivery and any free delivery within WB and Gaza strip:</p> <ul style="list-style-type: none">- 10% for providing transportation to WB (North/South/Centre) and Gaza Strip with full responsibility and doing all of the process from A-Z from obtaining COGAT approval and delivering the kits to Gaza warehouse, and to be liable for the items if lost or looted- 5% for providing transportation to Gaza Strip and WB (North/South/Centre) under their responsibility but require SCI to obtain COGAT approval.- 3% for providing transportation for each of the needed WB locations (North/South/Centre) and Gaza Strip but does not take any responsibility of the kits and needs SCI to obtain approval for COGAT.- 0% for not providing any transportation services and/or providing transportation only to WB locations (North/South/Centre).		
5	<p>Score 5% out 5%</p> <p>Delivery time (lead time)</p> <ul style="list-style-type: none">- 5% for fastest delivery after placing PO for 500 kits for example.- 3% for the second fastest delivery after placing PO for 500 kits for example.- 0% for the slowest delivery after placing PO for 500 Kits for example.	Bidder Response	Comments
6	<p>Score 15% out 15%</p> <p>Free Services</p> <ul style="list-style-type: none">- 15% For the supplier that provides free storage for the longest period, free packaging, labelling, printing flyers, all necessary packaging procedures, free loading and offloading services for pallets, and any other additional free services that contribute to the efficiency or cost-effectiveness of the supply chain (e.g., inventory management, transportation, etc...)- 10% for the supplier that provides some but not all of the above services (e.g., free storage for a shorter period, partial packaging and labelling, or limited additional services).	Bidder Response	Attachment(s)

	<ul style="list-style-type: none"> - 0% for the supplier that does not offer any of the above services 		
7	Score 10% out 10% Free Transportation Services <ul style="list-style-type: none"> - 10% For the supplier that provides free transportation services within WB and to the Borders (Erez/Zikim or Karem Shalom or any other crosspoint). - 0% for the supplier that does not provide free transportation Services. 	Bidder Response	Attachment(s)
7	Score 10% out 10% Previous experience and performance with INGO / UN agencies in emergency FWA for similar goods in the last 3 years <ul style="list-style-type: none"> - 10% providing very good references with INGOs and having very good feedback with at least 3 Orders in the past 3 years. - 5% good reference with good feedback at least 1 order in the past 3 years. - 0% no reference or feedback and no previous experiences 		
8	Score: Sustainability (10%) Bidder supplies goods which are in packaging which can be easily recycled OR is made from recycled content OR uses natural packaging materials. Sustainability criteria: <ul style="list-style-type: none"> - 10% all goods are supplied in recycled materials OR materials which can be recycled OR natural packaging materials. - 5% goods are supplied in partially recycled materials OR materials which can be partially recycled OR natural packaging materials. - 0% - goods are supplied in non-recyclable OR non-natural materials 		



SECTION 3 – COMMERCIAL QUESTIONS (30%)

#	Item Specification	Unit	Quantity	Unit Price Excluding VAT	Total Price Excluding VAT
1	<p>Small Water pumps (Head up to 20m) with solar panel</p> <ul style="list-style-type: none"> Solar-powered pump kit with approx. 3M³/day yield at 10–30m head. Includes 0.5" diameter hose 20m length. Solar PV array. 	each	1000		
2	<p>White Water Tanks (0.2m³, 0.5m³, 1m³, 2m³, 5m³)</p> <ul style="list-style-type: none"> Food-grade new PVC/HDPE/PE. Comes with lid, inlet/outlet openings, and bottom drain. UV-resistant, durable for potable water use. 	each	200 for each size		
3	<p>Water Bladders (1m³, 2m³, 5m³, 10m³)</p> <ul style="list-style-type: none"> UV-resistant, food-grade PVC-coated polyester (min. 1100g/m²). Heat-welded seams, 2" BSP(M) outlet with anti-chafe patch, 4" inlet with screw cap. Suitable for chlorinated drinking water. 	each	100 for each size		
4	<p>Piping Networks (HDPE, UPVC, PPR) diameter from 0.5 inch to 4 inch</p> <ul style="list-style-type: none"> High-durability piping systems suitable for potable water networks. Pressure rated and corrosion resistant. 	Meter	1000 mr for each		
5	<p>Pipe Fittings (Elbows, Tees, Reducers, Unions)</p> <ul style="list-style-type: none"> Assorted high-strength fittings compatible with HDPE, UPVC, PPR pipes. Pressure-rated for potable water. 	Set	1000		
6	<p>Valves (Tap Stands, Gate, Check, Pressure-Reducing)</p>	Each	500		

	<ul style="list-style-type: none"> Corrosion-resistant valves for water flow regulation. Suitable for various pipe systems. 				
7	Portable Handwashing Facilities <ul style="list-style-type: none"> Market-ready units with min. 20L tank with lid. Tap and stand included; optional sink and drain. Hygienic and sturdy construction. 	Each	300		
8	Water Quality Testing Kits <ul style="list-style-type: none"> Tests for TDS, Free Residual Chlorine (FRC), Turbidity, and pH. Includes electrochemical testers suitable for field use. 	Kit	10		
10	Foldable Sink kit <ul style="list-style-type: none"> Made of stainless steel, PVC, or similar material. Portable, easy to set up and clean. 	Each	1000		
11	Portable Small Solar Water Heater <ul style="list-style-type: none"> Compact, solar-powered heater. Ideal for hygiene and personal use. 	Each	1000		
13	Self-Built Latrine Kit Kit for on site assembling provided with: a plastic self supporting plastic slab: <ul style="list-style-type: none"> Made of linear low density polyethylene (LLDPE - UV protected) or material with similar characteristics, squatting slabs, neutral colour 1.2 m long x 0.8 m wide x 35 mm thick HDPE (UV protected) hinged hole cover five M6 x 15mm brass moulded inserts on the underside of the slab – for bolting on a pan and trap a plastic self-supporting superstructure:	Set	1000		



	<ul style="list-style-type: none"> • Dimensions: Height 210 cm, Depth 120 cm, Width 80 cm • Panelling made of 4mm corrugated plastic, UV stabilised or material with similar characteristics, • Pressure treated timber frame (protected against rot and insects) • Slanted roof for rain run off <ul style="list-style-type: none"> • Ventilation gap • Internal and lock 				
16	<p>Communal waste containers (120L, 240L, 1100L)</p> <ul style="list-style-type: none"> • Heavy-duty, food-grade plastic or galvanized steel. • With lid, wheels for transport, and foot pedal (optional). 	Each	300		
19	<p>Antiscalant Material (ACUMER 5000, Hypersperse, etc.)</p> <ul style="list-style-type: none"> • Supplied in 5–25L drums. • Compatible with RO systems for scale inhibition. 	Liter	100		
20	<p>Chlorine – Sodium Hypochlorite (NaOCl)</p> <ul style="list-style-type: none"> • 12–13% active chlorine. AWWA B300, NSF/ANSI 60, WHO standards. • Appearance: Clear/pale yellow. • pH: 11–13; Specific Gravity: 1.18–1.22; <1% Free Alkali; <10ppm Fe. 	Liter	1000		
21	<p>NaDCC 33 Water Purification Tablets</p> <ul style="list-style-type: none"> • Water purification tablets. • Rapidly dissolving. 	Tablet	100,000		
22	<p>Tap stand kit: metal 4 taps distribution system (GS) - Height of the tap stand 890mm</p> <ul style="list-style-type: none"> • All threads BSP Tapered • Components are hot dipped galvanized internally and externally • All threading carried out after the galvanization process, using potable grade cutting oil. • All parts supplied ready for immediate use, with all debris from the machining 	Kit	100		






	<p>process removed from the water ways before pack</p> <ul style="list-style-type: none"> • Including components to connect to 32mm and 50mm PE pipe using compression couplings, or to 2" flexible or layflat hose using threaded or Guillemin couplings. 				
23	<p>Solar Shower (10L / 20L)</p> <ul style="list-style-type: none"> • Leakproof black TPU, PVC, or polyurethane fabric. • Built-in handle/hanger, outlet hose with on/off head. 	Unit	1000		
24	<p>Drum incinerator bin: prepared with a second hand oil metal barrel (galvanized iron sheet at least 1.5m thick), provided with waste inlet and ash inspection opening, with a ash 10x10 mm metal grill installed. All painted with heat resistant paint. Provided with a 3" (10 cm) diam ventilation pipe.</p>				
25	<p>Vector Control – Mosquito Nets (LLINs)</p> <ul style="list-style-type: none"> • WHO/USAID certified LLINs. • Pyrethroid-chlorfenapyr treated. • 3–5 year treatment duration. • Size: 190x180x150 cm. 	each	1000		
26	<p>Solar cooker kit:</p> <ul style="list-style-type: none"> • Foldable, stand-alone solar cooker. • Reflective screen with plastic cover or cooking bags. 	Each	1000		

	<ul style="list-style-type: none"> Includes 3L black cooking pot with lid. 				
--	---	--	--	--	--

*Note: Suppliers may use their own template for financial offers if multiple prices are provided for different dimensions or sizes.

SECTION 4 – BIDDER SUBMISSION CHECKLIST

We, the Bidder, hereby confirm we have completed all sections of the Bidder Response Document:		
No	Section	Please Tick
1.	Section 1 – Essential Criteria	
2.	Section 2 – Capability, Sustainability & Innovation Questions	
3	Section 3 – Commercial Criteria	

We, the Bidder, confirm we have uploaded all of the required information and supporting evidence:		
Section	Required Document / Evidence	Please Tick
Essential Criteria Evidence	Proof of legitimate business address	
	Copy of tax registration number & certificate	
	Copy of business registration certificate	
	Samples as per specs mentioned in the ITT	
Capability Criteria Evidence	Completed Bidder Response Document	
	Supporting Financial Documents	
We, the Bidder, hereby confirm we compliance with the following policies and requirements:		
Policy	Policy / Document	Signature
Terms & Conditions of Bidding	 TERMS AND CONDITIONS OF BIDDING	
Terms & Conditions of Purchase	 TERMS AND CONDITIONS OF PURCHASE	
Supplier Sustainability Policy and the included mandatory policies	 Save the Children Supplier Sustainability	

We confirm that Save the Children may in its consideration of our offer, and subsequently, rely on the statements made herein.

Signature:

Name:

Title/Position:

Company:

Date:

Mobile Number:

Email Address: